

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((SIGRID) near2 (BUHLER)).INV.	US-PGPUB; USPAT	NEAR	ON	2006/08/30 14:45
S2	2	("5763599").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:45
S3	40	((WOLFGANG) near2 (PFLEIDERER)).INV.	US-PGPUB; USPAT	NEAR	ON	2006/08/30 16:52
S4	2	((MARKUS) near2 (OTT)).INV.	US-PGPUB; USPAT	NEAR	ON	2006/08/30 16:44
S5	2	("6750335").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 17:58
S6	2	("6756492").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 18:32
S7	17	ERITJA Ramon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/08/30 18:32

=> d his

(FILE 'HOME' ENTERED AT 10:37:33 ON 31 AUG 2006)

FILE 'REGISTRY' ENTERED AT 10:38:14 ON 31 AUG 2006

L1 STRUCTURE UPLOADED



L2 21 S L1 SSS SAM

L3 415 S L1 SSS FULL

FILE 'CAPLUS' ENTERED AT 10:38:49 ON 31 AUG 2006

L4 104 S L3

L5 86 S L4 AND 1800<=PY<=2003



chain nodes :  
 7 8 9 10 11 12 13 14 19  
 ring nodes :  
 1 2 3 4 5 6  
 chain bonds :  
 2-12 3-7 4-13 5-19 7-8 7-14 8-9 9-10 10-11  
 ring bonds :  
 1-2 1-6 2-3 3-4 4-5 5-6  
 exact/norm bonds :  
 2-12 7-14 9-10 10-11  
 exact bonds :  
 3-7 4-13 5-19 7-8 8-9  
 normalized bonds :  
 1-2 1-6 2-3 3-4 4-5 5-6

G1:CH<sub>3</sub>,t-Bu

G2:H,NO<sub>2</sub>,Cl,Br,F,I

G3:O,S

G4 : H, MeO, Ak

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS  
12:CLASS 13:CLASS 14:CLASS 19:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 Me, t-Bu

G2 H, NO2, Cl, Br, F, I

G3 O, S

G4 H, MeO, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 10:38:37 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 106 TO ITERATE

100.0% PROCESSED 106 ITERATIONS

21 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 1503 TO 2737

PROJECTED ANSWERS: 146 TO 694

L2 21 SEA SSS SAM L1

=> s l1 sss full

FULL SEARCH INITIATED 10:38:44 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2320 TO ITERATE

100.0% PROCESSED 2320 ITERATIONS

415 ANSWERS

SEARCH TIME: 00.00.01

L3 415 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	166.94	167.15

FILE 'CAPLUS' ENTERED AT 10:38:49 ON 31 AUG 2006  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Aug 2006 VOL 145 ISS 10  
 FILE LAST UPDATED: 30 Aug 2006 (20060830/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3

L4 104 L3

=> d scan

L4 104 ANSWERS CAPLUS COPYRIGHT 2006 ACS on STN  
 IC ICM C07H019-02  
 ICS C07H001-00; C07H021-00  
 CC 33-9 (Carbohydrates)  
 Section cross-reference(s): 23, 25  
 TI Preparation and use of photo-labile 5'-O-protecting groups for nucleosides for synthesis reactions  
 ST nitrophenyl alkoxycarbonyl deriv protecting group photolabile nucleotide prepn; halogenation alkoxycarbonylation prepn nitrophenyl deriv photolabile nucleotide protecting group  
 IT Alkoxycarbonylation  
 Halogenation  
 Photolysis  
 Protective groups  
 (preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)  
 IT Benzenoids  
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)  
 IT Nucleotides, preparation  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)  
 IT 335201-64-4P 335201-68-8P 335201-72-4P  
 335201-76-8P 335201-78-0P 335201-79-1P  
 335201-80-4P  
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

(preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)

IT 50-89-5, Thymidine, reactions 503-38-8 587-02-0, 3-Ethylaniline 589-16-2, 4-Ethylaniline 110522-74-2

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)

IT 5805-89-0P 13985-58-5P 36680-46-3P 51279-01-7P, 3-Acetylamino-1-ethylbenzene 51529-96-5P 148582-37-0P 335201-49-5P 335201-53-1P 335201-55-3P 335201-56-4P 335201-57-5P 335201-58-6P 335201-59-7P 335201-60-0P 335201-61-1P 335201-62-2P 335201-63-3P 392303-95-6P 392303-96-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)

IT 335201-50-8P 335201-51-9P 335201-52-0P 335201-54-2P 335201-65-5P 335201-66-6P 335201-67-7P 335201-69-9P 335201-70-2P 335201-71-3P 335201-73-5P 335201-74-6P 335201-75-7P 335201-77-9P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and use of 2-(2-nitrophenyl)alkoxycarbonyl derivs. as photo-labile 5'-O-protecting groups for ribo- or 2'-deoxy-ribo-nucleotides for photo-directed oligonucleotide synthesis)

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> S L4 AND 1800<=PY<=2003  
23862469 1800<=PY<=2003

L5 86 L4 AND 1800<=PY<=2003

=> d l5 ibib hitstr

L5 ANSWER 1 OF 86 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:827089 CAPLUS

DOCUMENT NUMBER: 140:77372

TITLE: Synthesis of photolabile 2-(2-nitrophenyl)propyloxycarbonyl protected amino acids

AUTHOR(S): Bhushan, Kumar R.; DeLisi, Charles; Laursen, Richard A.

CORPORATE SOURCE: Department of Biomedical Engineering, Boston University, Boston, MA, 02215, USA

SOURCE: Tetrahedron Letters (2003), 44(47), 8585-8588  
CODEN: TELEAY; ISSN: 0040-4039

PUBLISHER: Elsevier Science B.V.

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 140:77372


IT 179691-31-7P 640291-03-8P 640291-10-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of photolabile (nitrophenyl)propyloxycarbonyl-protected amino acids)

RN 179691-31-7 CAPLUS


CN Carbonochloridic acid, 2-(2-nitrophenyl)propyl ester (9CI) (CA INDEX NAME)



RN 640291-03-8 CAPLUS

CN L-Alanine, N-[[2-(2-nitrophenyl)propoxy]carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 640291-10-7 CAPLUS

CN L-Phenylalanine, N-[[2-(2-nitrophenyl)propoxy]carbonyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 640291-02-7P 640291-04-9P 640291-05-0P

640291-06-1P 640291-07-2P 640291-08-3P

640291-09-4P 640291-11-8P 640291-12-9P


640291-13-0P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of photolabile (nitrophenyl)propyloxycarbonyl-protected amino acids)

RN 640291-02-7 CAPLUS

CN Glycine, N-[[2-(2-nitrophenyl)propoxy]carbonyl]- (9CI) (CA INDEX NAME)



RN 640291-04-9 CAPLUS

CN L-Valine, N-[[2-(2-nitrophenyl)propoxy]carbonyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

FILE 'HCAPLUS' ENTERED AT 17:01:25 ON 30 AUG 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Aug 2006 VOL 145 ISS 10  
FILE LAST UPDATED: 29 Aug 2006 (20060829/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> E BUHLER B/IN 25

E1	4	BUHLER ALLEN C/IN
E2	77	BUHLER ARTHUR/IN
E3	0 -->	BUHLER B/IN
E4	1	BUHLER B A/IN
E5	1	BUHLER BARBARA A/IN
E6	1	BUHLER BRUCE A/IN
E7	1	BUHLER DONALD R/IN
E8	1	BUHLER ERWIN/IN
E9	2	BUHLER EUGEN/IN
E10	4	BUHLER F A/IN
E11	1	BUHLER FONTAINE/IN
E12	1	BUHLER G/IN
E13	2	BUHLER GEBR/IN
E14	15	BUHLER GEBRUDER/IN
E15	14	BUHLER GEORG/IN
E16	1	BUHLER GERHARD DIPL ING/IN
E17	7	BUHLER H W/IN
E18	1	BUHLER HANNES/IN
E19	3	BUHLER HANS/IN
E20	2	BUHLER HANS EUGEN/IN
E21	2	BUHLER HOLGER/IN
E22	3	BUHLER J J VARN/IN
E23	1	BUHLER JAMES D/IN
E24	1	BUHLER JAMES E/IN
E25	5	BUHLER KARL/IN

=> E BUHLER S/IN 25

E1	2	BUHLER RENE/IN
E2	3	BUHLER RICH/IN
E3	0 -->	BUHLER S/IN
E4	1	BUHLER SIGRID/IN
E5	25	BUHLER STEVEN A/IN
E6	1	BUHLER THOMAS/IN
E7	2	BUHLER ULRICH/IN
E8	2	BUHLER VIDAL JORGE OSCAR/IN
E9	1	BUHLER VOLKER/IN
E10	1	BUHLER W/IN
E11	1	BUHLER WALTER/IN
E12	1	BUHLER WARREN G/IN
E13	7	BUHLERT MAGNUS/IN

E14 1 BUHLES W C/IN  
 E15 1 BUHLIG REIK/IN  
 E16 1 BUHLING FRANK/IN  
 E17 1 BUHLING MAX/IN  
 E18 1 BUHLKE DENNIS/IN  
 E19 1 BUHLMAN JANET/IN  
 E20 1 BUHLMANN ADOLF/IN  
 E21 1 BUHLMANN ADOLPH W/IN  
 E22 1 BUHLMANN FRITZ/IN  
 E23 1 BUHLMANN GEORG/IN  
 E24 3 BUHLMANN KARL/IN  
 E25 1 BUHLMANN KLAUS/IN

=> S (E4) AND (PHOTO? OR NUCLEO?)

1 "BUHLER SIGRID"/IN

1427343 PHOTO?

711841 NUCLEO?

L1 1 ("BUHLER SIGRID"/IN) AND (PHOTO? OR NUCLEO?)

=> DIS L1 1 TI

L1 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2006 ACS on STN

TI Preparation and use of photo-labile 5'-O-protecting groups for nucleosides for synthesis reactions

=> DIS L1 1 IBIB

THE ESTIMATED COST FOR THIS REQUEST IS 1.14 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L1 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:319407 HCAPLUS

DOCUMENT NUMBER: 134:311401

TITLE: Preparation and use of photo-labile  
 5'-O-protecting groups for nucleosides for  
 synthesis reactions

INVENTOR(S): Pfleiderer, Wolfgang; Buhler, Sigrid;  
 Giegrich, Heiner

PATENT ASSIGNEE(S): Nigu Chemie G.m.b.H., Germany

SOURCE: Ger. Offen., 18 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19952113	A1	20010503	DE 1999-19952113	19991029
CA 2385262	AA	20010510	CA 2000-2385262	20001010
WO 2001032671	A1	20010510	WO 2000-EP9958	20001010
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1224198	A1	20020724	EP 2000-966152	20001010
EP 1224198	B1	20030423		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003513101	T2	20030408	JP 2001-535372	20001010

AT 238334	E	20030515	AT 2000-966152	20001010
US 2002146737	A1	20021010	US 2002-108565	20020329
US 6750335	B2	20040615		

PRIORITY APPLN. INFO.:

DE 1999-19952113	A	19991029
WO 2000-EP9958	W	20001010

OTHER SOURCE(S): CASREACT 134:311401; MARPAT 134:311401

REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=&gt; E BUHLER S/IN 25

E1	2	BUHLER RENE/IN
E2	3	BUHLER RICH/IN
E3	0 -->	BUHLER S/IN
E4	1	BUHLER SIGRID/IN
E5	25	BUHLER STEVEN A/IN
E6	1	BUHLER THOMAS/IN
E7	2	BUHLER ULRICH/IN
E8	2	BUHLER VIDAL JORGE OSCAR/IN
E9	1	BUHLER VOLKER/IN
E10	1	BUHLER W/IN
E11	1	BUHLER WALTER/IN
E12	1	BUHLER WARREN G/IN
E13	7	BUHLERT MAGNUS/IN
E14	1	BUHLES W C/IN
E15	1	BUHLIG REIK/IN
E16	1	BUHLING FRANK/IN
E17	1	BUHLING MAX/IN
E18	1	BUHLKE DENNIS/IN
E19	1	BUHLMAN JANET/IN
E20	1	BUHLMANN ADOLF/IN
E21	1	BUHLMANN ADOLPH W/IN
E22	1	BUHLMANN FRITZ/IN
E23	1	BUHLMANN GEORG/IN
E24	3	BUHLMANN KARL/IN
E25	1	BUHLMANN KLAUS/IN

=&gt; E OTT M/IN 25

E1	1	OTT LUTZ/IN
E2	1	OTT LUTZ DIPL ING/IN
E3	0 -->	OTT M/IN
E4	6	OTT MARC FRITZ MANFRED/IN
E5	2	OTT MARIETTE/IN
E6	1	OTT MARK J/IN
E7	2	OTT MARKUS/IN
E8	1	OTT MARTIN/IN
E9	1	OTT MARTIN A/IN
E10	4	OTT MARY L/IN
E11	1	OTT MATTHIAS/IN
E12	4	OTT MELANIE/IN
E13	1	OTT MELANIE N/IN
E14	5	OTT MELVIN L/IN
E15	2	OTT MEREDITH S/IN
E16	16	OTT MICHAEL/IN
E17	1	OTT MICHAEL J/IN
E18	2	OTT MICHAEL M/IN
E19	1	OTT MICHAEL W/IN
E20	4	OTT MICHAEL WARREN/IN
E21	1	OTT MIKE/IN
E22	1	OTT MIKLOS/IN
E23	4	OTT MONIKA/IN
E24	1	OTT NEE FULOP M/IN
E25	2	OTT NILS/IN

=&gt; S (E7)

L2 2 ("OTT MARKUS"/IN)

=> DIS L2 1 TI

L2 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

TI Novel photolabile protective groups for improved processes to prepare oligonucleotide arrays

=> DIS L2 2 TI

L2 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

TI Knitting machine

=> E PFLEIDERER/IN 25

E1	3	PFLEGING WILHELM/IN
E2	1	PFLEIDERE ERNST/IN
E3	0 -->	PFLEIDERER/IN
E4	1	PFLEIDERER ALFRED/IN
E5	2	PFLEIDERER C/IN
E6	56	PFLEIDERER ERNST/IN
E7	1	PFLEIDERER G/IN
E8	26	PFLEIDERER GEORG/IN
E9	2	PFLEIDERER GEORGE/IN
E10	4	PFLEIDERER GERHARD/IN
E11	5	PFLEIDERER HANS/IN
E12	2	PFLEIDERER HANS JOERG/IN
E13	1	PFLEIDERER HANS JORG/IN
E14	1	PFLEIDERER KURT/IN
E15	4	PFLEIDERER MICHAEL/IN
E16	2	PFLEIDERER PETER/IN
E17	1	PFLEIDERER UWE/IN
E18	3	PFLEIDERER W/IN
E19	44	PFLEIDERER WOLFGANG/IN
E20	6	PFLEIDERER WOLFGANG EUGEN/IN
E21	1	PFLESSER GERHARD/IN
E22	1	PFLEUGER D RUSSELL/IN
E23	7	PFLEUMER F/IN
E24	4	PFLEUMER FRITZ/IN
E25	1	PFLEUMER H/IN

=> S (E19)

L3 44 ("PFLEIDERER WOLFGANG"/IN)

=> S (E19) AND (PHOTO? OR NUCLEO? OR OLIGO?)

44 "PFLEIDERER WOLFGANG"/IN  
1427343 PHOTO?  
711841 NUCLEO?  
309355 OLIGO?

L4 24 ("PFLEIDERER WOLFGANG"/IN) AND (PHOTO? OR NUCLEO? OR OLIGO?)

=> S (E19) AND 1800<=PY<=2003 AND (PHOTO? OR NUCLEO? OR OLIGO?)

44 "PFLEIDERER WOLFGANG"/IN  
23862460 1800<=PY<=2003  
1427343 PHOTO?  
711841 NUCLEO?  
309355 OLIGO?

L5 23 ("PFLEIDERER WOLFGANG"/IN) AND 1800<=PY<=2003 AND (PHOTO? OR NUCLEO? OR OLIGO?)

=> DIS L5 1- SAM

YOU HAVE REQUESTED DATA FROM 23 ANSWERS - CONTINUE? Y/(N):Y

THE ESTIMATED COST FOR THIS REQUEST IS 7.59 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:N

REQUEST CANCELED

=> DIS L5 1 HITSEQ

THE ESTIMATED COST FOR THIS REQUEST IS 7.05 U.S. DOLLARS  
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L5 ANSWER 1 OF 23 HCAPLUS COPYRIGHT 2006 ACS on STN

=> DIS L5 1- IBIB

YOU HAVE REQUESTED DATA FROM 23 ANSWERS - CONTINUE? Y/(N):Y  
THE ESTIMATED COST FOR THIS REQUEST IS 26.22 U.S. DOLLARS  
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L5 ANSWER 1 OF 23 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:58099 HCAPLUS  
DOCUMENT NUMBER: 138:90025  
TITLE: Synthesis of oligodeoxyribonucleotides via  
condensation of nucleoside phosphoramidites  
INVENTOR(S): Stengele, Klaus-Peter; Pfleiderer, Wolfgang  
PATENT ASSIGNEE(S): Chemogenix G.m.b.H., Germany  
SOURCE: PCT Int. Appl., 56 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003006476	A1	20030123	WO 2002-EP7657	20020709 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
DE 10133779	A1	20030206	DE 2001-10133779	20010716 <--
EP 1409505	A1	20040421	EP 2002-764662	20020709
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK			
US 2004203036	A1	20041014	US 2004-754447	20040109
PRIORITY APPLN. INFO.:			DE 2001-10132536	A 20010709
			DE 2001-10133779	A 20010716
			WO 2002-EP7657	W 20020709
OTHER SOURCE(S):	MARPAT 138:90025			
REFERENCE COUNT:	8	THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

L5 ANSWER 2 OF 23 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:319407 HCAPLUS  
DOCUMENT NUMBER: 134:311401  
TITLE: Preparation and use of photo-labile  
5'-O-protecting groups for nucleosides for  
synthesis reactions  
INVENTOR(S): Pfleiderer, Wolfgang; Buhler, Sigrid;  
Giegrich, Heiner  
PATENT ASSIGNEE(S): Nigu Chemie G.m.b.H., Germany  
SOURCE: Ger. Offen., 18 pp.  
CODEN: GWXXBX  
DOCUMENT TYPE: Patent